



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 26-MAR-25 to 20-MAY-25

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

Weekly Report for period 26-MAR-25 to 20-MAY-25

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2025	2024	2023			
										2025	2024	2023		
Blood-borne diseases[2]														
Hepatitis B (newly acquired)	2		1					2	7	12	6	2	1.4	1.4
Hepatitis B (unspecified)	6	6	11	8	8	13	13	20	203	205	170	54	33.3	1.6
Hepatitis C (newly acquired)	1	4	2	4	2	3	1		42	46	38	6	7.9	0.8
Hepatitis C (re-infection newly acquired)						1	1		3	6	6	2	0.6	3.3
Hepatitis C (unspecified)	20	13	19	14	11	16	20	16	322	311	320	63	58.1	1.1
Hepatitis D		1		1		1			6	7	2	1	0.6	1.7
Enteric diseases														
Campylobacteriosis	68	62	56	63	58	83	101	51	1547	1823	1933	293	242.1	1.2
Cholera									1	0	0	0	0.0	0.0
Cryptosporidiosis	57	47	50	29	36	48	31	11	1012	415	85	126	31.9	4.0
Hepatitis A	2					1			11	9	6	1	0.4	2.5
Paratyphoid fever				1					7	3	10	0	0.4	0.0
Rotavirus	8	6	13	8	8	8	5	1	150	333	491	22	36.4	0.6
STEC/VTEC infection	3	3	7	4	5	6	3	1	78	92	120	15	10.9	1.4
Salmonellosis	31	29	35	31	18	38	33	14	684	802	708	103	105.9	1.0
Shigellosis	4	8	5	1	10	7	4		204	218	175	21	22.0	1.0
Typhoid		1							9	10	13	0	0.5	0.0
Vibrio parahaemolyticus			1	2					7	13	2	0	0.6	0.0
Yersiniosis	8	8	4	3	2	3		3	75	21	41	8	2.8	2.9
Sexually transmissible infections														
Chlamydia (genital)	226	245	257	185	230	237	246	151	4952	5240	5059	864	870.8	1.0
Gonorrhoea	93	91	112	61	98	93	116	53	1964	2121	1741	360	297.1	1.2
Syphilis (congenital)		1	1						3	0	0	0	0.2	0.0
Syphilis - Infectious	15	13	21	10	13	10	7		292	264	294	30	55.3	0.5
Syphilis - Non-Infectious	9	8	10	3	5	2	11	5	104	100	94	23	17.7	1.3
Vaccine preventable diseases														
Diphtheria									2	0	2	0	0.1	0.0
Influenza	370	374	321	215	270	284	284	210	6500	2855	4130	1048	853.0	1.2
Measles	3	2	2	1			1		19	2	1	1	0.1	15.0
Mumps		1							4	5	1	0	0.7	0.0
Pertussis	48	40	29	40	26	40	28	8	759	164	20	102	12.3	8.3
Pneumococcal infection	4		8	8	3	2	5	1	61	70	62	11	15.1	0.7
Tetanus									1	0	0	0	0.0	0.0
Varicella (chicken pox)	13	7	6	7	4	15	5		177	206	159	24	33.4	0.7
Varicella (shingles)	50	40	40	37	50	44	32	11	888	1002	1026	137	187.1	0.7
Varicella (unspecified)	44	48	50	40	48	70	62	53	1048	1021	1039	233	162.9	1.4
Vector-borne diseases														
Barmah Forest virus									5	11	18	0	2.2	0.0
Chikungunya		1			2				6	3	5	2	0.2	10.0
Dengue fever	8	9	3	6	6	9	5		218	258	80	20	19.9	1.0
Malaria	1		1			1			9	23	22	1	2.3	0.4
Murray Valley encephalitis virus									3	3	5	0	0.5	0.0
Ross River virus	24	13	20	8	6	11	3	1	298	153	146	21	35.5	0.6
Typhus	3	3		1	1		1		18	17	11	2	1.7	1.2
Zoonotic diseases														
Leptospirosis									1	0	3	0	0.2	0.0
Q Fever			1			1			7	3	3	1	0.8	1.3
Other diseases														
Acute post-streptococcal glomerulonephritis	1	1					1	1	11	14	6	2	1.5	1.4
COVID-19								2	2	0	0	2	*****	0.0
Creutzfeldt-Jakob disease									1	2	1	0	0.7	0.0
Haemolytic Uraemic Syndrome							1		1	0	2	1	0.1	15.0
Legionellosis	2			3		1	1		22	25	31	2	7.9	0.3
Leprosy									2	0	0	0	0.1	0.0
Melioidosis	1	1		2					5	5	3	0	0.7	0.0
Meningococcal infection			3	1					5	4	3	0	1.1	0.0
Monkeypox virus						1		1	12	0	2	2	0.1	30.0
RSV	70	69	80	72	76	100	117	76	1493	1253	847	369	178.5	2.1
Tuberculosis	2	7	2	4	4	10		4	75	76	49	18	10.7	1.7
iGAS	3	5	6	4	2	3	1	2	66	94	84	8	11.2	0.7
Grand Total	1200	1167	1177	877	1002	1162	1139	698						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 20			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2025	2024	2023			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	2		1					1	5	9	2	1	0.9	1.1
Hepatitis B (unspecified)	6	6	9	7	6	8	11	17	174	169	146	42	27.7	1.5
Hepatitis C (newly acquired)		3	1	4	1	1	1		30	35	34	3	6.2	0.5
Hepatitis C (unspecified)	16	12	16	13	9	10	16	14	248	232	238	49	42.4	1.2
Hepatitis D		1		1		1			6	7	2	1	0.4	2.5
Enteric diseases														
Campylobacteriosis	51	43	42	53	42	71	85	41	1235	1408	1536	239	187.5	1.3
Cholera									1	0	0	0	0.0	0.0
Cryptosporidiosis	51	41	48	27	30	39	26	9	872	360	45	104	23.3	4.5
Hepatitis A	1					1			9	8	6	1	0.3	3.0
Listeriosis									3	1	2	0	0.3	0.0
Paratyphoid fever				1					6	3	9	0	0.4	0.0
Rotavirus	6	6	12	7	7	6	3	1	134	307	436	17	31.0	0.5
STEC/VTEC infection	1	1	2	1	1	3	1		33	46	73	5	6.4	0.8
Salmonellosis	21	24	23	23	14	30	21	9	514	629	506	74	76.2	1.0
Shigellosis	3	7	4	1	9	6	2		156	168	139	17	14.4	1.2
Typhoid									8	8	11	0	0.3	0.0
Vibrio parahaemolyticus			1	1					6	12	2	0	0.5	0.0
Yersiniosis	6	8	4	2	2	3		3	71	19	32	8	2.4	3.3
Sexually transmissible infections														
Chlamydia (genital)	178	190	207	146	181	192	187	129	3890	4110	3959	689	682.3	1.0
Gonorrhoea	72	61	80	49	70	73	78	44	1426	1595	1276	265	205.7	1.3
Syphilis (congenital)									1	0	0	0	0.1	0.0
Syphilis - Infectious	10	9	14	7	10	8	3		205	168	178	21	35.3	0.6
Syphilis - Non-Infectious	7	8	8	2	5	2	9	4	79	59	56	20	11.0	1.8
Vaccine preventable diseases														
Diphtheria									0	0	2	0	0.1	0.0
Influenza	241	285	228	152	214	221	244	188	4637	2147	2861	867	628.3	1.4
Measles	2		2				1		9	2	1	1	0.1	15.0
Mumps		1							3	3	1	0	0.4	0.0
Pertussis	40	29	18	33	18	32	20	6	565	58	16	76	4.4	17.3
Pneumococcal infection	3		6	7	2	2	2	1	38	41	39	7	8.3	0.8
Tetanus									1	0	0	0	0.0	0.0
Varicella (chicken pox)	10	4	4	7	2	14	5		126	170	121	21	25.3	0.8
Varicella (shingles)	32	24	25	26	29	19	18	3	525	650	661	69	126.4	0.5
Varicella (unspecified)	43	43	48	38	47	67	62	51	1016	987	1004	227	156.6	1.4
Vector-borne diseases														
Barmah Forest virus									3	6	5	0	0.7	0.0
Chikungunya					1				3	3	5	1	0.2	5.0
Dengue fever	6	8	3	5	4	8	5		176	199	62	17	16.1	1.1
Malaria						1			4	18	19	1	1.9	0.5
Ross River virus	13	6	13	5	4	7	1		198	57	74	12	19.1	0.6
Typhus	2	2			1		1		10	9	9	2	0.8	2.5
Zoonotic diseases														
Q Fever			1			1			7	2	1	1	0.5	2.1
Other diseases														
Acute post-streptococcal glomerulonephritis		1							4	6	1	0	0.3	0.0
Creutzfeldt-Jakob disease									1	2	1	0	0.5	0.0
Legionellosis	2			3		1	1		14	20	21	2	5.3	0.4
Leprosy									1	0	0	0	0.1	0.0
Melioidosis									1	1	1	0	0.1	0.0
Meningococcal infection			1	1					3	3	1	0	0.7	0.0
Monkeypox virus						1		1	12	0	1	2	0.1	30.0
RSV	46	48	63	50	61	80	86	61	1110	822	657	288	136.3	2.1
Tuberculosis	2	6	1	4	4	8		4	67	61	45	16	9.9	1.6
iGAS	1	4	3	3		1		2	31	55	54	3	5.9	0.5
Grand Total	874	881	888	679	774	917	889	589						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)	1	1							
Hepatitis B (unspecified)	6	9 (4)		2	9 (10)		9	24 (19)	
Hepatitis C (newly acquired)					3 (4)			(3)	
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)	6	8 (9)		3	22 (16)		5	19 (12)	
Hepatitis D								1 (1)	
Enteric diseases									
Campylobacteriosis	16	81 (93)		11	63 (74)		14	95 (78)	
Cholera									
Cryptosporidiosis	5	48 (36)		3	35 (17)		1	21 (14)	
Hepatitis A		1							
Listeriosis									
Paratyphoid fever								(2)	
Rotavirus		5 (27)			8 (16)		1	4 (19)	
STEC/VTEC infection		(2)			5				
Salmonellosis	2	29 (30)		1	25 (34)		6	20 (27)	
Shigellosis		5 (14)			4 (10)			8 (18)	
Typhoid								(1)	
Vibrio parahaemolyticus		(1)			(1)			(2)	
Yersiniosis		3 (2)		1	3 (1)		2	2	
Sexually transmissible infections									
Chlamydia (genital)	45	219 (257)		33	212 (245)		51	258 (328)	
Gonorrhoea	5	59 (60)		7	73 (99)		32	133 (133)	
Syphilis (congenital)									
Syphilis - Infectious		4 (5)			5 (14)			12 (14)	
Syphilis - Non-Infectious	1	6 (3)		1	6 (2)		2	8 (5)	
Vaccine preventable diseases									
Diphtheria									
Influenza	73	329 (243)		43	227 (124)		72	311 (135)	
Measles					1				
Mumps									
Pertussis	2	24 (6)			23 (3)		4	29 (1)	
Pneumococcal infection	1	4 (3)			2 (3)			1 (4)	
Tetanus									
Varicella (chicken pox)		8 (15)			4 (14)			9 (22)	
Varicella (shingles)	2	19 (49)			22 (48)		1	28 (42)	
Varicella (unspecified)	17	75 (66)		18	75 (67)		16	77 (75)	
Vector-borne diseases									
Barmah Forest virus					(1)				
Chikungunya		1							
Dengue fever		9 (26)			5 (24)			3 (22)	
Malaria		(1)						1 (4)	
Murray Valley encephalitis virus									
Ross River virus		(5)			7 (3)			5 (3)	
Typhus					2			(1)	
Zoonotic diseases									
Q Fever					1			(1)	
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)			(1)			2 (1)	
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus							1	2	
RSV	26	122 (97)		18	76 (62)		17	90 (69)	
Tuberculosis	2	7 (4)		1	3 (3)		1	6 (8)	
iGAS	1	1 (3)			(2)		1	2 (5)	
Grand Total	211	1077 *****		142	921 (898)		236	1171 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		3 (1)							
Hepatitis C (newly acquired)		2			1 (1)				
Hepatitis C (re-infection newly acquired)					2				
Hepatitis C (unspecified)		4 (3)			1			2 (2)	
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	24 (30)			4 (7)		2	8 (7)	
Cholera									
Cryptosporidiosis		9 (6)			1 (3)			1 (1)	
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		3							
STEC/VTEC infection		3 (2)			(2)		1	4	
Salmonellosis	3	8 (9)			1 (3)			2 (3)	
Shigellosis		(3)							
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	7	26 (41)			7 (19)		5	11 (14)	
Gonorrhoea		9 (16)			2 (2)		2	4 (4)	
Syphilis (congenital)									
Syphilis - Infectious		1 (1)							
Syphilis - Non-Infectious		2					1	1 (1)	
Vaccine preventable diseases									
Diphtheria									
Influenza	12	73 (42)		3	22 (8)		2	15 (13)	
Measles									
Mumps									
Pertussis		8 (20)			2			2 (1)	
Pneumococcal infection		2 (2)			1			(1)	
Tetanus									
Varicella (chicken pox)		(4)			(1)			(1)	
Varicella (shingles)	6	30 (44)		1	11 (19)			5 (7)	
Varicella (unspecified)		1 (1)						1	
Vector-borne diseases									
Barmah Forest virus		(1)							
Chikungunya		1							
Dengue fever		(7)			1 (1)			(1)	
Malaria									
Murray Valley encephalitis virus									
Ross River virus	1	5 (1)			3				
Typhus									
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
COVID-19	2	2							
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome		1							
Legionellosis		(2)							
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	5	22 (26)		1	7 (11)		1	4 (5)	
Tuberculosis									
iGAS		(1)			1				
Grand Total	40	239 (263)		5	67 (77)		14	60 (61)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		1 (1)			1 (1)		1	1 (1)	
Hepatitis C (newly acquired)									
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)	2	4 (3)			2 (4)			(1)	
Hepatitis D									
Enteric diseases									
Campylobacteriosis		1 (8)			4 (9)			2 (5)	
Cholera									
Cryptosporidiosis		(6)					1	5 (1)	
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(3)						1	
STEC/VTEC infection		1 (3)			1 (1)			(1)	
Salmonellosis		2 (4)			3 (1)		2	5 (6)	
Shigellosis		1						1 (6)	
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)		15 (18)		2	30 (36)		3	25 (27)	
Gonorrhoea	1	8 (8)		2	15 (15)		1	18 (8)	
Syphilis (congenital)									
Syphilis - Infectious		(6)			(6)			2 (1)	
Syphilis - Non-Infectious		(1)						(2)	
Vaccine preventable diseases									
Diphtheria									
Influenza		19 (6)		1	8 (22)		1	9 (24)	
Measles									
Mumps									
Pertussis		(2)		1	5 (5)			1	
Pneumococcal infection		1 (1)							
Tetanus									
Varicella (chicken pox)		(1)						1 (1)	
Varicella (shingles)		4 (7)		1	8 (8)			4 (5)	
Varicella (unspecified)	1	1 (2)						1	
Vector-borne diseases									
Barmah Forest virus								(1)	
Chikungunya									
Dengue fever		(1)			1 (1)			(1)	
Malaria									
Murray Valley encephalitis virus									
Ross River virus		1			(2)			(5)	
Typhus									
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)	1	2							
COVID-19									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis									
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	3	22 (1)			6 (7)		1	2 (19)	
Tuberculosis		1							
iGAS		(2)			1 (2)			(2)	
Grand Total	8	84 (84)		7	85 (120)		10	78 (117)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)	1	1		2	2 (0)	0.0
Hepatitis B (unspecified)		3		20	54 (37)	0.0
Hepatitis C (newly acquired)				0	6 (10)	0.0
Hepatitis C (re-infection newly acquired)				0	2 (3)	0.0
Hepatitis C (unspecified)		(3)		16	63 (53)	0.0
Hepatitis D				0	1 (2)	0.0
Enteric diseases						
Campylobacteriosis	1	4 (3)		51	293 (323)	0.0
Cholera				0	0 (0)	0.0
Cryptosporidiosis	1	6		11	126 (84)	0.0
Hepatitis A				0	1 (0)	0.0
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	0 (2)	0.0
Rotavirus		1		1	22 (69)	0.0
STEC/VTEC infection		1		1	15 (12)	0.0
Salmonellosis		6 (2)		14	103 (122)	0.0
Shigellosis		2 (3)		0	21 (55)	0.0
Typhoid				0	0 (1)	0.0
Vibrio parahaemolyticus				0	0 (4)	0.0
Yersiniosis				3	8 (3)	0.0
Sexually transmissible infections						
Chlamydia (genital)	2	45 (44)		151	864*****	0.0
Gonorrhoea	3	32 (39)		53	360 (392)	0.0
Syphilis (congenital)				0	0 (0)	0.0
Syphilis - Infectious		6 (7)		0	30 (54)	0.0
Syphilis - Non-Infectious		(1)		5	23 (16)	0.0
Vaccine preventable diseases						
Diphtheria				0	0 (0)	0.0
Influenza	1	13 (62)		210	1048 (692)	0.0
Measles				0	1 (0)	0.0
Mumps				0	0 (1)	0.0
Pertussis	1	8		8	102 (38)	0.0
Pneumococcal infection				1	11 (14)	0.0
Tetanus				0	0 (0)	0.0
Varicella (chicken pox)				0	24 (59)	0.0
Varicella (shingles)		4 (6)		11	137 (237)	0.0
Varicella (unspecified)	1	1		53	233 (212)	0.0
Vector-borne diseases						
Barmah Forest virus				0	0 (3)	0.0
Chikungunya				0	2 (0)	0.0
Dengue fever		(2)		0	20 (91)	0.0
Malaria				0	1 (8)	0.0
Murray Valley encephalitis virus				0	0 (2)	0.0
Ross River virus		(4)		1	21 (23)	0.0
Typhus				0	2 (2)	0.0
Zoonotic diseases						
Q Fever				0	1 (1)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				1	2 (2)	0.0
COVID-19				2	2 (0)	0.0
Creutzfeldt-Jakob disease				0	0 (1)	0.0
Haemolytic Uraemic Syndrome				0	1 (0)	0.0
Legionellosis				0	2 (5)	0.0
Leprosy				0	0 (0)	0.0
Melioidosis				0	0 (1)	0.0
Meningococcal infection				0	0 (1)	0.0
Monkeypox virus				1	2 (0)	0.0
RSV	4	16 (21)		76	369 (323)	0.0
Tuberculosis				4	18 (15)	0.0
iGAS		3 (3)		2	8 (20)	0.0
Grand Total	15	152 (200)		698	4001 (4039)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 20	
	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	2025	2024
	Salmonella Total	31	29	35	31	18	38	33	14	684
Serotype/Phage										
Salmonella Aberdeen									1	0
Salmonella Adelaide									5	1
Salmonella Agona	1	1	2			2			7	11
Salmonella Albany									2	1
Salmonella Amsterdam									1	0
Salmonella Anatum							1		2	6
Salmonella Bahrenfeld						1			1	0
Salmonella Bareilly	1	1						2	24	1
Salmonella Bonn	1		1						3	1
Salmonella Bovismorbificans				1					7	16
Salmonella Braenderup						1			3	2
Salmonella Bredeney									2	2
Salmonella Carnac									1	0
Salmonella Cerro			1						2	5
Salmonella Chailey									2	2
Salmonella Chester		1	1	2	1			1	20	39
Salmonella Choleraesuis bv Australia		3							7	8
Salmonella Choleraesuis bv Decatur					1				7	7
Salmonella Concord									1	0
Salmonella Corvallis									2	3
Salmonella Eastbourne									1	2
Salmonella Emek						1			4	2
Salmonella Enteritidis	3		3	2	5	9	2		63	76
Salmonella Give			1						1	0
Salmonella Hadar									1	1
Salmonella Haifa									1	1
Salmonella Havana			1						3	5
Salmonella Heidelberg					1	2			5	2
Salmonella Hessarek									1	1
Salmonella Hindmarsh									1	0
Salmonella Hvittingfoss						1	1		7	6
Salmonella Infantis		1	1	1		1			16	26
Salmonella Irumu									1	0
Salmonella Javiana					1				1	1
Salmonella Johannesburg	1								3	4
Salmonella Kentucky				1		1			10	7
Salmonella Kiambu	2			1				1	8	3
Salmonella Lansing			1						1	2
Salmonella Lexington									1	1
Salmonella Litchfield									2	0
Salmonella Mbandaka									0	4
Salmonella Mississippi									1	1
Salmonella Molade									1	0
Salmonella Muenchen		1							10	19
Salmonella Muenster									1	1
Salmonella Muenster var 15+	1				1				2	0
Salmonella Newport	1	2		3		1	2		19	11
Salmonella Ohio									1	1
Salmonella Oranienburg	2		1			1			5	1

Weekly Report for period 26-MAR-25 to 20-MAY-25

	01/04	08/04	15/04	22/04	29/04	06/05	13/05	20/05	Cumulative Total to end of Week 20	
									2025	2024
Salmonella Total	31	29	35	31	18	38	33	14	684	767
Serotype/Phage										
Salmonella Orientalis	1								1	0
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java	1		1	4	1	2	1		49	56
Salmonella Poona							1		2	1
Salmonella Potsdam	1								6	2
Salmonella Reading			1						5	1
Salmonella Rissen							1		1	10
Salmonella Rubislaw									1	0
Salmonella Ruiru									0	0
Salmonella Saintpaul	1	3		1	1	2			15	18
Salmonella Schwarzengrund									1	2
Salmonella Senftenberg									2	4
Salmonella Singapore									2	6
Salmonella Stanley	3	1	1			1			19	11
Salmonella Tennessee		1	1						5	3
Salmonella Thompson									5	1
Salmonella Typhimurium	3	8	15	7	3	2	2	1	137	265
Salmonella Virchow		1				3			29	11
Salmonella Wangata									4	3
Salmonella Welikade	1								2	0
Salmonella Weltevreden	2		1	1		1	1		14	8
Salmonella Zanzibar			1						2	0
Salmonella species	5	3	1	7	3	6	19	11	108	81
Salmonella subsp 1 ser 4,5:i:-		1							1	0
Salmonella subsp IV		1							1	0